

poultry



Slaughtered under Federal Inspection and
Poultry Used in Further Processing

May 1971

Release:
July 2, 1971
3:00 P.M. EDT

Inspected Poultry - There were 980 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during May 1971 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 1 percent less than the previous month but slightly above May 1970.

The number of head and pounds live weight inspected by classes were: young chickens - 227,630,000 head, 831,477,000 pounds; mature chickens - 13,591,000 head, 62,244,000 pounds; fryer-roaster turkeys - 793,000 head, 7,271,000 pounds; young turkeys - 3,951,000 head, 70,855,000 pounds; old turkeys - 93,000 head, 1,902,000 pounds; and ducks - 1,013,000 head, 6,496,000 pounds.

Poultry Certified Wholesome in May totaled 699,539,000 pounds ready-to-cook weight, of which 584,988,000 pounds were chilled and 114,551,000 were frozen. Pounds certified by class of poultry were: young chickens, 592,133,000; mature chickens, 39,561,000; fryer-roaster turkeys, 5,642,000; young turkeys, 55,952,000; old turkeys, 1,474,000; ducks, 4,640,000; and other poultry, 137,000.

Further Processed - Poultry inspected and used for further processing totaled 106,157,000 pounds ready-to-cook weight, compared with 87,521,000 pounds in May 1970. The May 1971 total consisted of 30,673,000 pounds young chickens, 36,731,000 pounds mature chickens, 32,671,000 pounds turkeys, and 6,082,000 pounds other poultry.

Poultry Cut-up and Packaged totaled 180,401,000 pounds ready-to-cook weight, compared with 159,183,000 pounds a year earlier. The breakdown by class was: young chickens, 167,836,000 pounds; mature chickens, 225,000; turkeys, 12,135,000; and other poultry, 205,000 pounds.

Ante-Mortem Condemnations during May were 3,178,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.30; mature chickens, 0.79; fryer-roaster turkeys, 0.14; young turkeys, 0.16; old turkeys, 0.29; and ducks, 0.05.

Post-Mortem Condemnations in May were 32,754,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.71; mature chickens, 5.29; fryer-roaster turkeys, 1.75; young turkeys, 2.83; old turkeys, 5.67; and ducks, 1.69.

UNITED STATES DEPARTMENT OF AGRICULTURE

STATISTICAL REPORTING SERVICE

CROP REPORTING BOARD

Pou 2-1 (7-71)

WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1971 WITH COMPARISONS

NUMBER INSPECTED 3/		YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS : POULTRY	OTHER : POULTRY	TOTAL : POULTRY
APRIL 1971	1971	230,347	16,396	246,743	1,182	2,679	54	3,915	971	---	---
MAY 1971	1970	235,119	14,908	250,027	824	2,742	104	3,670	1,022	---	---
MAY 1971	1971	227,630	13,591	241,221	793	3,951	93	4,837	1,013	---	---
JAN.-MAY 1970	1970	1,129,960	73,038	1,202,998	4,098	8,157	249	12,504	3,628	---	---
JAN.-MAY 1971	1971	1,117,645	79,569	1,197,214	5,121	12,613	330	18,064	3,450	---	---
POUNDS INSPECTED 4/											
APRIL 1971	1971	846,341	73,441	919,782	10,605	49,692	1,116	61,413	6,351	245	987,791
MAY 1971	1970	845,769	68,534	914,303	7,486	47,371	2,128	56,985	6,545	241	978,074
MAY 1971	1971	831,477	62,244	893,721	7,271	70,855	1,902	80,028	6,496	255	980,500
JAN.-MAY 1970	1970	4,094,435	334,768	4,429,203	38,203	158,331	5,183	201,717	22,780	944	4,654,644
JAN.-MAY 1971	1971	4,099,800	359,051	4,458,851	46,911	247,114	6,700	300,725	22,203	1,191	4,782,970
AVERAGE LIVEWEIGHTS/											
APRIL 1971	1971	3.67	4.48	3.73	8.98	18.55	20.65	15.69	6.54	---	---
MAY 1971	1970	3.60	4.60	3.66	9.09	17.28	20.39	15.53	6.41	---	---
MAY 1971	1971	3.65	4.58	3.70	9.17	17.93	20.51	16.55	6.41	---	---
JAN.-MAY 1970	1970	3.62	4.58	3.68	9.32	19.41	20.86	16.13	6.28	---	---
JAN.-MAY 1971	1971	3.67	4.51	3.72	9.16	19.59	20.32	16.65	6.43	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

APRIL 1971, 2,597; MAY 1970, 2,692; AND MAY 1971, 2,497.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

APRIL 1971, 61; MAY 1970, 228; AND MAY 1971, 187.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

2

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), MAY 1971 WITH COMPARISONS 1/

NUMBER INSPECTED 3/		YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS : POULTRY	OTHER : POULTRY	TOTAL : POULTRY
APRIL 1971	1971	546,031	37,420	583,451	2,022	7,580	107	9,709	295	32	593,487
FROZEN		53,335	9,228	62,563	6,208	31,010	745	37,963	4,237	99	104,862
TOTAL		599,366	46,648	646,014	8,230	38,590	852	47,672	4,532	131	698,349
MAY 1970	1970	542,945	31,803	574,748	1,346	9,185	619	11,150	268	23	586,189
FROZEN		58,465	11,739	70,204	4,485	28,174	1,073	33,732	4,401	108	108,445
TOTAL		601,410	43,542	644,952	5,831	37,359	1,692	44,882	4,669	131	694,634
MAY 1971	1971	541,609	30,319	571,928	1,648	10,780	325	12,753	282	25	584,988
FROZEN		50,524	9,242	59,766	3,994	45,172	1,149	50,315	4,358	112	114,551
TOTAL		592,133	39,561	631,694	5,642	55,952	1,474	63,068	4,640	137	699,539
JANUARY-MAY 1970	1970	2,602,300	162,225	2,764,525	7,768	31,854	833	40,455	987	75	2,806,042
FROZEN		303,108	50,516	353,624	21,890	91,731	3,249	116,870	15,248	431	486,173
TOTAL		2,905,408	212,741	3,118,149	29,658	123,585	4,082	157,325	16,235	506	3,292,215
JANUARY-MAY 1971	1971	2,640,910	181,507	2,822,417	7,947	45,729	825	54,501	1,203	149	2,878,270
FROZEN		260,493	46,313	306,806	28,391	147,554	4,375	180,320	14,663	488	502,277
TOTAL		2,901,403	227,820	3,129,223	36,338	193,283	5,200	234,821	15,866	637	3,380,547

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1971 WITH COMPARISONS 3/

		: YOUNG :		: MATURE :		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :	
		: CHICKENS :		: CHICKENS :		: CHICKENS :		: ROASTERS:		: TURKEYS :		: TURKEYS :		: TURKEYS :		: POULTRY:	

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
			LIVEWEIGHT		CERTIFIED		:	
			1970	1971	1970	1971	POUNDS (NVD)	PERCENT
			1970	1971	1970	1971	1970	1971
			-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	13,831	13,349	56,047	54,620	40,001	38,923	2,166	2,044
E. N. CENTRAL	2,440	2,637	9,320	10,211	6,867	7,458	207	298
W. N. CENTRAL	6,032	7,555	21,312	28,161	15,079	20,125	725	956
S. ATLANTIC	98,937	92,753	360,269	345,586	255,574	245,592	14,161	11,752
S. CENTRAL	108,005	105,710	377,290	371,457	268,790	264,908	12,248	11,978
WEST	5,854	5,626	21,531	21,442	15,099	15,127	749	667
U. S.	235,119	227,630	845,769	831,477	601,410	592,133	30,256	27,695
MAINE	6,089	5,728	25,138	24,039	18,259	17,665	804	608
PENNSYLVANIA	6,941	7,072	27,676	28,161	19,475	19,651	1,207	1,340
OHIO	---	225	---	935	---	683	---	21
INDIANA	1,177	1,184	4,287	4,337	3,181	3,186	91	105
WISCONSIN	1,237	1,219	4,854	4,897	3,556	3,583	111	172
MISSOURI	5,319	6,096	18,499	22,666	12,940	16,102	682	803
DELAWARE	7,511	7,932	28,900	32,361	20,334	22,596	949	1,234
MARYLAND	14,361	10,127	54,878	39,594	39,579	28,357	1,850	1,462
VIRGINIA	7,867	9,533	27,341	35,515	18,821	25,049	867	932
NORTH CAROLINA	26,418	24,689	98,059	94,162	69,402	67,433	3,655	2,691
SOUTH CAROLINA	2,907	2,855	10,519	9,389	7,263	6,418	450	387
GEORGIA	35,235	32,970	124,070	118,138	88,649	84,221	5,770	4,483
TENNESSEE	6,372	5,823	22,438	20,313	16,174	14,600	744	726
ALABAMA	28,117	28,517	99,409	98,817	69,796	69,388	4,631	4,809
MISSISSIPPI	17,968	18,612	63,063	66,706	46,053	48,112	1,287	1,852
ARKANSAS	31,379	30,873	105,755	106,253	74,843	75,312	3,068	2,597
LOUISIANA	4,854	4,075	17,333	14,432	12,351	10,561	445	416
TEXAS	15,437	14,234	55,659	52,423	39,847	37,921	1,718	1,271
WASHINGTON	1,593	529	6,037	2,226	4,119	1,643	248	73
CALIFORNIA	2,531	2,606	9,867	10,283	7,082	7,353	312	316

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT MAY. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1971

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS :	SEPTI- CEMIA :	AIRSAC- CULITIS :	SYNO- VITIS :	TUMORS :	BRUISES:	CADAVERS:	CONTAM- INATION:	OVER- SCALD :	OTHER :	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	185,784	114,326	91,517	3,489	1,390	6,791	15,972	29,659	2,317	12,242	463,487
E. N. CENTRAL	---	33,395	18,547	12,537	865	50	2,166	2,961	5,799	1,331	1,281	78,932
W. N. CENTRAL	---	60,888	53,030	88,888	6,051	771	7,107	12,880	12,880	995	11,729	246,384
S. ATLANTIC	---	1,617,438	492,620	464,016	31,411	8,402	41,596	72,621	241,870	21,903	134,705	3,126,582
S. CENTRAL	---	1,743,828	499,709	393,794	76,938	13,174	54,583	97,049	175,696	13,362	118,022	3,186,155
WEST	---	91,703	39,075	20,030	1,752	91	1,772	5,132	6,785	810	14,193	181,343
U. S.	---	3,733,029	1,217,307	1,070,782	120,506	23,878	110,960	200,842	472,689	40,718	292,172	7,282,883
MAINE	---	38,462	46,670	7,490	2,797	335	1,476	5,534	7,075	811	2,552	113,202
PENNSYLVANIA	---	141,691	64,236	81,683	590	725	4,970	9,851	20,345	1,304	8,344	333,739
OHIO	---	1,656	1,903	458	65	26	165	525	432	6	31	5,267
INDIANA	---	17,555	6,705	984	---	8	588	997	1,655	1,024	64	29,580
WISCONSIN	---	14,177	9,898	11,094	800	16	1,412	1,405	3,576	301	1,186	43,865
MISSOURI	---	48,443	40,967	80,499	4,460	559	3,332	6,426	9,110	381	5,543	199,720
DELAWARE	---	143,416	38,820	76,224	2,978	376	2,277	6,036	17,931	3,543	6,634	298,235
MARYLAND	---	158,892	62,103	106,466	2,647	608	3,017	6,104	20,621	4,212	3,340	368,010
VIRGINIA	---	125,826	64,985	51,861	1,563	552	4,196	4,945	10,945	3,377	3,876	272,126
NORTH CAROLINA	---	204,964	144,259	86,958	12,286	3,088	15,627	21,719	71,897	3,888	61,493	626,179
SOUTH CAROLINA	---	72,990	13,944	12,482	542	231	1,957	3,495	9,177	328	1,828	116,974
GEORGIA	---	809,239	152,544	110,751	10,471	3,329	13,213	23,523	105,532	5,837	42,917	1,277,356
TENNESSEE	---	138,887	30,500	9,879	2,892	415	2,294	4,823	13,905	169	12,081	215,845
ALABAMA	---	1,068,925	113,898	67,860	11,821	3,414	10,167	21,847	59,615	3,994	40,938	1,402,479
MISSISSIPPI	---	209,795	44,445	99,636	10,361	2,932	7,235	15,769	34,498	1,721	31,991	458,383
ARKANSAS	---	175,713	170,632	152,893	35,759	3,827	16,485	27,750	42,359	2,977	19,370	647,765
LOUISIANA	---	19,027	35,481	23,516	3,809	634	4,205	8,396	3,600	1,069	1,266	101,003
TEXAS	---	100,372	84,754	33,986	11,580	1,776	10,610	13,445	17,015	2,449	10,002	285,989
WASHINGTON	---	4,250	2,143	3,032	607	12	183	260	278	11	3,232	14,013
CALIFORNIA	---	45,221	18,497	10,682	517	48	476	2,061	2,802	365	1,789	82,457

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS					
		INSPECTED (LIVELINEWEIGHT)		LIVELINEWEIGHT : INSPECTED/1 : (READY-TO-COOK WT.)		CERTIFIED							
		1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-					
		-THOUSANDS-											
N. ATLANTIC	1,621	1,441	8,101	7,027	5.00	4.88	5,242	4,543	434	338	6.00	5.39	
E. N. CENTRAL	1,767	1,740	7,778	7,006	4.40	4.03	4,794	4,259	268	251	3.86	4.01	
W. N. CENTRAL	3,231	3,242	14,130	14,363	4.37	4.43	8,743	9,018	751	689	5.98	5.38	
S. ATLANTIC	3,866	3,617	17,623	17,278	4.56	4.78	11,357	11,175	848	730	5.39	4.73	
S. CENTRAL	2,553	1,834	13,454	9,580	5.27	5.22	8,956	6,287	621	523	5.17	6.10	
WEST	1,870	1,717	7,448	6,990	3.98	4.07	4,450	4,279	503	407	7.57	6.52	
U. S.	14,908	13,591	68,534	62,244	4.60	4.58	43,542	39,561	3,425	2,938	5.60	5.29	
MAINE	234	181	1,524	1,037	6.52	5.74	1,032	707	58	41	4.22	4.41	
NEW JERSEY	964	762	4,132	3,197	4.29	4.19	2,539	1,927	286	189	7.76	6.62	
PENNSYLVANIA	156	65	1,046	457	6.71	6.99	712	320	27	10	2.92	2.37	
OHIO	393	424	1,662	1,890	4.23	4.46	1,007	1,161	70	71	4.68	4.22	
INDIANA	592	598	2,349	2,328	3.97	3.89	1,496	1,435	80	65	3.84	3.15	
MINNESOTA	1,226	1,282	4,533	4,921	3.70	3.84	2,694	3,021	230	234	5.68	5.34	
MISSOURI	890	892	5,426	5,474	6.09	6.14	3,657	3,714	291	253	6.02	5.18	
MARYLAND	---	395	---	1,675	---	4.24	---	1,061	---	---	82	---	5.49
VIRGINIA	58	69	421	551	7.25	7.95	294	392	16	18	4.16	3.74	
NORTH CAROLINA	302	238	2,377	1,787	7.88	7.52	1,608	1,186	98	107	4.59	6.67	
GEORGIA	2,339	2,556	10,059	11,771	4.30	4.61	6,505	7,589	459	467	5.10	4.44	
ALABAMA	287	75	1,617	520	5.64	6.97	1,083	356	75	23	5.23	5.01	
MISSISSIPPI	1,330	1,141	6,857	5,889	5.16	5.16	4,617	3,866	291	339	4.76	6.43	
ARKANSAS	248	84	1,734	603	6.98	7.22	1,171	415	73	27	4.69	5.04	
LOUISIANA	28	---	205	---	7.33	---	145	---	7	---	3.94	---	
TEXAS	593	438	2,621	2,033	4.42	4.64	1,651	1,301	163	111	6.95	6.09	
WASHINGTON	146	107	567	439	3.88	4.09	373	304	25	20	5.01	5.20	
CALIFORNIA	1,629	1,381	6,510	5,645	4.00	4.09	3,841	3,392	461	352	7.94	6.97	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1971

REGION AND STATE	TUBER- CULOSIS: NO.	LEU- KOSIS: NO.	SEPTI- CEMIA: NO.	AIRSAC- CULITIS: NO.	SYNO- VITIS: NO.	TUMORS: NO.	BRUISES: NO.	CADAVER: NO.	CONAM- INATION: NO.	OVER- SCALD: NO.	OTHER: NO.	TOTAL NO.
N. ATLANTIC	---	3,016	20,828	160	510	15,562	3,636	1,472	5,053	187	10,600	61,024
E. N. CENTRAL	197	5,740	22,118	201	1	16,030	4,884	2,768	5,767	174	2,725	60,605
W. N. CENTRAL	1,254	9,510	54,199	1,865	345	48,237	9,521	5,706	8,219	370	12,057	151,283
S. ATLANTIC	9	4,826	53,999	1,182	770	34,068	6,314	5,612	25,703	716	13,486	146,585
S. CENTRAL	---	3,784	35,937	346	1,042	25,942	4,630	2,337	10,328	664	14,685	99,695
WEST	---	1,313	46,068	141	539	38,249	5,176	1,088	6,278	350	14,515	113,717
U. S.	1,460	28,189	233,049	3,895	3,207	178,088	34,161	18,983	61,348	2,461	68,068	632,909
MAINE	---	514	2,503	11	122	1,065	385	84	468	15	133	5,300
NEW JERSEY	---	1,319	14,208	---	38	10,240	2,535	680	2,735	132	9,486	41,373
PENNSYLVANIA	---	185	545	96	1	206	21	46	135	---	231	1,466
OHIO	48	2,452	4,595	7	---	2,209	1,929	184	718	2	1,404	13,548
INDIANA	12	1,400	7,750	1	---	6,210	690	1,209	2,745	1	845	20,863
MINNESOTA	725	3,789	15,026	787	86	23,487	3,269	2,366	3,143	171	7,632	60,481
MISSOURI	28	2,375	22,778	467	239	6,613	2,123	1,053	1,544	112	1,106	38,438
MARYLAND	9	1,128	6,844	147	119	5,366	887	717	4,141	163	614	20,135
VIRGINIA	---	320	1,209	89	5	135	80	23	262	4	51	2,178
NORTH CAROLINA	---	975	1,794	354	159	539	190	137	1,142	46	3,037	8,373
GEORGIA	---	1,617	39,184	496	469	24,966	4,685	4,609	18,204	499	9,594	104,323
ALABAMA	---	163	1,069	9	85	127	32	220	825	18	320	2,868
MISSISSIPPI	---	2,019	25,375	6	597	14,822	3,701	1,413	7,003	499	7,400	62,835
ARKANSAS	---	207	1,694	90	73	135	43	70	617	17	92	3,038
TEXAS	---	1,171	5,051	236	234	10,045	536	538	1,537	123	6,694	26,165
WASHINGTON	---	415	1,823	---	---	494	236	75	522	34	2,484	6,083
CALIFORNIA	---	596	39,669	132	356	36,236	3,898	719	4,984	305	10,686	97,581

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1970 AND 1971

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED		INSPECTED		LIVEMEIGHT		CERTIFIED		:	
	1970	1971	1970	1971	1970	1971	1970	1971	POUNDS (NYD)	PERCENT 2/
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	61	36	1,023	949	16.77	26.36	803	768	18	10
E. N. CENTRAL	167	109	2,754	1,805	16.52	16.57	2,138	1,425	65	54
W. N. CENTRAL	395	888	6,787	15,207	17.17	17.12	5,357	12,052	134	344
S. ATLANTIC	583	968	10,253	17,518	17.58	18.10	8,031	13,700	314	558
S. CENTRAL	669	860	11,797	15,701	17.64	18.26	9,197	12,186	307	484
WEST	867	1,090	14,757	19,675	17.02	18.06	11,833	15,821	194	357
U. S.	2,742	3,951	47,371	70,855	17.28	17.93	37,359	55,952	1,032	1,807
PENNSYLVANIA	61	33	1,022	876	16.67	26.57	804	710	18	11
MINNESOTA	149	326	2,498	5,829	16.71	17.87	2,000	4,671	61	122
IOWA	---	85	---	1,691	---	19.96	---	1,208	---	88
MISSOURI	171	412	2,878	6,658	16.79	16.16	2,297	5,368	33	120
VIRGINIA	279	332	5,550	6,042	19.92	18.21	4,304	4,656	157	172
NORTH CAROLINA	277	546	4,373	9,292	15.79	17.03	3,461	7,378	151	307
ARKANSAS	261	383	3,887	6,900	14.88	18.01	3,045	5,309	77	211
TEXAS	360	433	6,840	8,092	19.02	18.70	5,275	6,304	209	265
COLORADO	---	204	---	3,614	---	17.72	---	2,843	---	48
CALIFORNIA	660	752	11,519	13,778	17.44	18.32	9,292	11,152	158	282

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1971

REGION AND STATE	TUBER- : NO.	LEU- : NO.	SEPTI- : NO.	CEMIA : NO.	AIRSAC- : NO.	SYNO- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- INATION : NO.	OVER- SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	9	162	106	16	3	4	3	21	2	9	335		
E. N. CENTRAL	---	2	1,287	568	1	6	40	16	299	---	29	2,248		
W. N. CENTRAL	---	45	7,708	3,440	971	13	165	529	800	76	245	13,992		
S. ATLANTIC	---	546	9,406	6,558	1,734	22	409	589	1,298	92	2,034	22,688		
S. CENTRAL	---	8	7,226	3,956	6,594	79	201	680	1,268	31	958	21,001		
WEST	---	10	7,628	3,560	3,084	101	181	379	377	43	172	15,535		
U. S.	---	620	33,417	18,188	12,400	224	1,000	2,196	4,063	244	3,447	75,799		
PENNSYLVANIA	---	9	146	105	16	---	4	3	21	2	9	315		
MINNESOTA	---	35	3,461	1,242	179	5	37	176	237	33	21	5,426		
IOWA	---	---	1,433	404	247	1	35	137	195	19	11	2,482		
MISSOURI	---	5	2,558	1,674	542	7	83	204	302	24	176	5,575		
VIRGINIA	---	475	4,447	1,927	70	5	122	328	248	17	34	7,673		
NORTH CAROLINA	---	48	3,523	3,394	1,578	16	222	233	955	74	1,738	11,781		
ARKANSAS	---	1	3,457	956	3,860	4	89	379	1,033	21	34	9,834		
TEXAS	---	3	3,591	2,965	2,718	74	99	291	212	10	924	10,887		
COLORADO	---	5	923	663	70	5	18	75	32	---	5	1,796		
CALIFORNIA	---	5	5,987	2,743	2,572	95	113	230	304	42	144	12,235		

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
		INSPECTED		LIVEWEIGHT		CERTIFIED					
		1970	1971	1970	1971	1970	1971	POUNDS (NYD)	PERCENT 2/		
		1970	1971	1970	1971	1970	1971	1970	1971		
		-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-				
N. ATLANTIC	37	331	309	8.95	8.58	265	240	4	3	1.34	1.07
E. N. CENTRAL	109	1,012	---	9.30	---	785	---	14	---	1.58	---
W. N. CENTRAL	358	3,355	3,168	9.37	9.42	2,665	2,521	44	39	1.44	1.36
S. ATLANTIC	247	2,158	1,914	8.75	9.13	1,632	1,420	39	38	1.99	2.19
S. CENTRAL	---	---	129	---	10.36	---	103	---	3	---	2.40
WEST	73	630	1,751	8.64	8.78	484	1,358	18	32	3.23	2.02
U. S.	824	7,486	7,271	9.09	9.17	5,831	5,642	119	115	1.76	1.75
MINNESOTA	358	3,355	3,168	9.37	9.42	2,665	2,521	44	39	1.44	1.36
VIRGINIA	186	1,648	1,668	8.86	9.07	1,231	1,232	30	29	2.06	1.95
CALIFORNIA	61	536	1,660	8.83	8.82	408	1,286	17	31	3.57	2.06

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1971

REGION AND STATE	TUBER- : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	AIRSAC- : NO.	CULITIS : NO.	SYND- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATION : NO.	SCALD : NO.	OVER- : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	---	73	42	---	---	---	1	---	19	22	---	---	---	157
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	1	2,129	409	25	25	33	---	187	589	8	28	8	28	3,409
S. ATLANTIC	---	---	1	1,524	652	10	10	64	---	167	471	4	114	4	114	3,007
S. CENTRAL	---	---	---	139	26	---	---	---	---	3	23	---	---	---	---	191
WEST	---	---	4	1,319	1,378	74	74	24	1	26	160	10	27	10	27	3,023
U. S.	---	---	6	5,184	2,507	109	109	121	2	402	1,265	22	169	22	169	9,787
MINNESOTA	---	---	1	2,129	409	25	25	33	---	187	589	8	28	8	28	3,409
VIRGINIA	---	---	---	1,300	303	2	2	51	---	160	410	4	9	4	9	2,239
CALIFORNIA	---	---	4	1,258	1,371	48	48	12	1	21	145	10	4	10	4	2,874

POULTRY SLAUGHTER, July 1971

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1970 AND 1971													
REGION AND STATE	NUMBER INSPECTED	1970	1971	POUNDS INSPECTED	1970	1971	AVERAGE : LIVELINEWEIGHT	INSPECTED : 1970	1971	TOTAL POUNDS : READY-TO-COOK WT.	1970	1971	PERCENT : 1970 : 1971
N. ATLANTIC	4	1	1	1,000	245	1,104	21.19	1,104	19.65	20.80	197	741	3.40
E. N. CENTRAL	4	12	17	934	272	338	19.61	40	20.26	18.65	212	542	4.42
W. N. CENTRAL	4	48	2	677	212	420	21.57	20.14	1,902	20.39	20.51	1,692	5.71
S. ATLANTIC	4	14	21	2,126	812	885	19.67	20.63	19.61	646	212	693	10.83
S. CENTRAL	4	31	43	272	272	272	19.61	---	---	---	---	---	4.09
U. S.	4	104	93	43	272	272	---	---	---	---	---	---	3.20
MINNESOTA	4	41	43	812	272	272	---	---	---	---	---	---	4.19
NORTH CAROLINA	4	14	43	272	272	272	---	---	---	---	---	---	5.67

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1971													
REGION AND STATE	TUBER- : NO.	LEU- : NO.	ROSI- : NO.	SEPTI- : NO.	AIRSA- : NO.	CULITIS : NO.	SYNO- : NO.	TUMORS : NO.	BRUISES : NO.	CADAV- : NO.	CONTAM- : NO.	OVER- : NO.	TOTAL : NO.
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---
S. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---
U. S.	---	---	---	---	---	---	---	---	---	---	---	---	---
MINNESOTA	---	---	---	---	---	---	---	---	---	---	---	---	---

Crop Reporting Board, SRS, USDA

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.